

"FOR GUARANTEED TROUBLE FREE SERVICE"



SANT & SBM

V A L V E S

GUN METAL,
BRONZE,
CAST IRON &
STEEL VALVES

RETAIL PRICE LIST

List No. : SANT/RPL/ 01-2020

Dated : 15-01-2020

THIS CANCELS ALL OUR PREVIOUS PRICE LISTS.

GOODS & SERVICES TAX (GST @ 18%) EXTRA





Product : **SBM Bronze Gate Valve**
 Type of Pattern : **Peglar Type**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in bonnet inside screw non rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Solid Wedge**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
 Seat Test Pressure : **14.06kg/cm²g (200Psig.) Hyd.**

Size/Inch	mm	Price / Pc.
1/4	8	477
3/8	10	477
1/2	15	520
3/4	20	698
1	25	1126
1¼	32	1334
1½	40	2056
2	50	2817
2½	65	6994
3	80	8699
4	100	17570

SBM 1

HSN CODE : 84818030



Product : **SBM Bronze Gate Valve**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in bonnet inside screw non rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Solid Wedge**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
 Seat Test Pressure : **14.06kg/cm²g (200Psig.) Hyd.**

1/4	8	645
3/8	10	645
1/2	15	735
3/4	20	1016
1	25	1465
1¼	32	1993
1½	40	2977
2	50	4626
2½	65	6915
3	80	11778
4	100	19523

SBM 2

HSN CODE : 84818030



Product : **SBM Bronze Gate Valve Flanged**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **IS 318 Gr. LTB 2 (Bronze)**
 Product Description : **Screwed in bonnet inside screw non rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Solid Wedge**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Flanges as per BS 10 Table D F.F. Undrilled**
 Body Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
 Seat Test Pressure : **14.06kg/cm²g (200Psig.) Hyd.**

1/2	15	2217
3/4	20	2727
1	25	3922
1¼	32	5287
1½	40	7369
2	50	9295
2½	65	14669
3	80	19828
4	100	35307
5	125	57181
6	150	110422

SBM 3

HSN CODE : 84818030



Product : **SBM Bronze Globe Valve No. 4**
 Type of Pattern : **Medium Duty**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in bonnet inside screw rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
 Seat Test Pressure : **14.06kg/cm²g (200Psig.) Hyd.**

1/4	8	231
3/8	10	277
1/2	15	329
3/4	20	520
1	25	740
1¼	32	1485
1½	40	1635
2	50	2674
2½	65	5333
3	80	8146
4	100	15144

SBM 5

HSN CODE : 84818030



Product : **SBM Bronze Globe Valve No. 8**
 Type of Pattern : **Medium Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in bonnet inside screw rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Flanges as per BS 10 Table D**
 Body Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
 Seat Test Pressure : **14.06kg/cm²g (200Psig.) Hyd.**

Size/Inch	mm	Price / Pc.
1/2	15	1657
3/4	20	2194
1	25	2503
1¼	32	3830
1½	40	4953
2	50	7489
2½	65	11850
3	80	14313
4	100	26882
5	125	46387

SBM 6

HSN CODE : 84818030



Product : **SBM Bronze Globe Valve No. 5**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in bonnet inside screw rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **35.15kg/cm²g (500Psig.) Hyd.**
 Seat Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**

1/4	8	387
3/8	10	416
1/2	15	629
3/4	20	896
1	25	1465
1¼	32	2194
1½	40	3088
2	50	4548
2½	65	8761
3	80	11696
4	100	19648

SBM 7

HSN CODE : 84818030



Product : **SBM Bronze Globe Valve No. 9**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in bonnet inside screw rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Flanges as per BS 10 Table F Undrilled**
 Body Test Pressure : **35.15kg/cm²g (500Psig.) Hyd.**
 Seat Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**

1/2	15	2261
3/4	20	2754
1	25	4416
1¼	32	5826
1½	40	7496
2	50	10486
2½	65	17969
3	80	23130
4	100	35125

SBM 8

HSN CODE : 84818030



Product : **SBM Bronze Horizontal Lift Check Valve No. 4**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in cover**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
 Seat Test Pressure : **14.06kg/cm²g (200Psig.) Hyd.**

1/4	8	273
3/8	10	273
1/2	15	316
3/4	20	495
1	25	818
1¼	32	1621
1½	40	2013
2	50	3239
2½	65	6396
3	80	9038
4	100	16376

SBM 9

HSN CODE : 84813000



Product : **SBM Bronze Horizontal Lift Check Valve No. 8**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in cover**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 End Details : **Flanges as per BS 10 Table-D Undrilled**
 Gasket :
 Body Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
 Seat Test Pressure : **14.06kg/cm²g (200Psig.) Hyd.**

Size/Inch	mm	Price / Pc.
1/2	15	1393
3/4	20	1997
1	25	3088
1¼	32	4098
1½	40	4626
2	50	6172
2½	65	10808
3	80	15808
4	100	26378
5	125	44451

SBM 10

HSN CODE : 84813000



Product : **SBM Bronze Horizontal Lift Check Valve No. 5**
 Type of Pattern : **Heavy Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in cover**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **35.15kg/cm²g (500Psig.) Hyd.**
 Seat Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**

1/2	15	490
3/4	20	816
1	25	1250
1¼	32	2080
1½	40	2503
2	50	4006
2½	65	4966
3	80	10657
4	100	12481

SBM 11

HSN CODE : 84813000



Product : **SBM Bronze Horizontal Lift Check Valve No. 9**
 Type of Pattern : **Heavy Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in cover**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 End Details : **Flanges as per BS 10 Table F Undrilled**
 Body Test Pressure : **35.15kg/cm²g (500Psig.) Hyd.**
 Seat Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**

1/2	15	1953
3/4	20	2814
1	25	4172
1¼	32	5467
1½	40	7164
2	50	8343
2½	65	17216
3	80	25579
4	100	29674

SBM 12

HSN CODE : 84813000



Product : **SBM Bronze Vertical Lift Check Valve**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **300Psig. Hyd.**
 Seat Test Pressure : **200Psig. Hyd.**

1/2	15	316
3/4	20	453
1	25	719
1¼	32	1068
1½	40	1393
2	50	1855
2½	65	3705
3	80	5661
4	100	9662

SBM 13

HSN CODE : 84813000



Product : **SBM Bronze Union Bonnet Globe Valve**
 Product Standard : **Conforming to IS 778 Class-2**
 Pressure/Class /Rating : **PN-25**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed on bonnet inside screw rising stem**
 Type of Seat : **Renewable Seat**
 Type of Disc : **Renewable Disc**
 Trim : **SS AISI-410**
 Gland Packing : **Graphited Asbestos**
 End Details : **Screwed Female BSP Threads to IS 554 Parallel**
 Test Pressure. : **600Psig. Hyd.**

Size/Inch	mm	Price / Pc.
1/4	8	692
3/8	10	792
1/2	15	1154
3/4	20	1713
1	25	2563
1¼	32	3693
1½	40	5057
2	50	7849
2½	65	13637
3	80	21484
4	100	36034

SBM 14

HSN CODE : 84818030



Product : **SBM Bronze Union Bonnet Globe Valve**
 Product Standard : **Conforming to IS 778 Class-2**
 Pressure/Class /Rating : **PN-25**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed on bonnet screw rising stem**
 Type of Seat : **Renewable Seat**
 Type of Disc : **Renewable Disc**
 Trim : **SS 410**
 Gland Packing : **Graphited Asbestos**
 End Details : **Flanges as per BS 10 Table F Undrilled**
 Test Pressure. : **600Psig. Hyd.**

1/2	15	2900
3/4	20	3834
1	25	5691
1¼	32	7326
1½	40	9269
2	50	14570
2½	65	22171
3	80	31630
4	100	53344

SBM 15

HSN CODE : 84818030



Product : **SBM Bronze Union Bonnet Horizontal Lift Check Valve**
 Product Standard : **conforming to IS 778 Class 2**
 Pressure/Class /Rating : **PN-25**
 Body Material cum standard : **IS 318 Gr. LTB 2 Bronze**
 Product Description : **Screwed on cover**
 Type of Seat : **Renewable Seat**
 Type of Disc : **Renewable Disc**
 Trim : **SS-410**
 End Details : **Screwed Female Threads to IS 554 Parallel**
 Test Pressure : **600Psig. Hyd.**

1/2	15	931
3/4	20	1543
1	25	2360
1¼	32	4722
1½	40	5494
2	50	7598
2½	65	13087
3	80	20599
4	100	35800

SBM 16

HSN CODE : 84813000



Product : **SBM Bronze Union Bonnet Horizontal Lift Check Valve**
 Product Standard : **Conforming to IS 778 Class-2**
 Body Material cum standard : **IS 318 Gr. LTB 2 Bronze**
 Product Description : **Screwed on Cover**
 Type of Seat : **Renewable Seat**
 Type of Disc : **Renewable Disc**
 Trim : **SS 410**
 End Details : **Flanges as per BS 10 Table-F Undrilled**
 Test Pressure : **600Psig. Hyd.**

1/2	15	2669
3/4	20	3489
1	25	5239
1¼	32	6888
1½	40	9556
2	50	13798
2½	65	21052
3	80	31583
4	100	49484

SBM 17

HSN CODE : 84813000

TERMS & CONDITIONS

1. Your Orders/Indents will be supplied on rates prevailing at the time of dispatch.
2. All orders placed direct or through Agent are valid only after confirmation from Head Office.
3. Rates are Ex-works, Jalandhar and inclusive of packing charges.
4. Every precaution is being taken while packing the goods which are generally booked at Railway/
5. Transport Risk but in case of any damage, loss or pilferage in transit we are not liable to accept any responsibility. Carriers would be considered as Indentor's Agent after a consignment is handed over by us to the former. Any Claim due to losses in transit or wrong delivery shall be concern between indentor and his carriers.
6. Order once placed and confirmed by us cannot be cancelled without our consent. We reserve the right to execute any order in full or in parts according to our supply position or manufacturing capacity. We accept no liabilities for delayed supplies for reasons beyond our control such as war, lockout breakdown or riots, etc. All commitments entered into by us are subject to above contingencies beyond our control.
7. Each consignment despatched contains Packing Slip. Any Shortage found in package received intact, should be reported to us for verification with in 7 DAYS from the date of taking delivery. Unless otherwise agreed upon all Way Bills or Railway Receipts for goods supplied shall be negotiated through scheduled Bank against payment only or per V.P.P.
New customers are requested to remit 25% of the value of the order as advance.
8. **Goods & Services Tax (GST@18%) will be charged extra as applicable.**
9. All disputes arising out of an order placed direct or through an Agent will be Subject to Jurisdiction of Law Courts at Jalandhar.
10. Rates & Terms are subject to alteration without notice.

-: NOTE :-

**ALL FLANGED VALVES ARE SUPPLIED UNDRILLED
UNLESS SPECIFIED BY THE INDENTOR**