

"FOR GUARANTEED TROUBLE FREE SERVICE"



SANT & SBM

V A L V E S

GUN METAL,
BRONZE,
CAST IRON &
STEEL VALVES

RETAIL PRICE LIST

List No. : SANT/RPL/ 01-2020

Dated : 15-01-2020

THIS CANCELS ALL OUR PREVIOUS PRICE LISTS.

GOODS & SERVICES TAX (GST @ 18%) EXTRA



For your kind attention

Dear Customer,

As usual; being always receptive to our valuable customer's feed back, we have added the following items in this price list, to meet your demands :-

1) **SANT VALVES PVT. LTD.**

NEW ADDED ITEMS			
Page No.	Item No.	Description	Remarks
26	IC-3	I.C. STAINLESS STEEL STEAM TRAP	NEW ITEM
30	CR-23	CAST IRON BUTTERFLY VALVE (LEVER OPERATED) MI SEAT	NEW ITEM
30	CR-24	CAST IRON BUTTERFLY VALVE (LEVER OPERATED) S.S. SEAT	NEW ITEM
32	CS-3A	CAST IRON 'Y' TYPE STRAINER	SIZE ADDED
51	RSV	DUCTILE IRON RESILIENT SEATED GATE/SLUICE VALVE	NEW ITEM

2) **SANT WATERTECH PRIVATE LTD.**

NEW ITEMS			
Page No.	Item No.	Description	Remarks
53	WM-7	ELECTROMAGNETIC FLOW METER	SIZE ADDED

3) **SANT AUTOMATIONS & NEW TECH**

NEW ITEMS			
Page No.	Item No.	Description	Remarks
54	SSBVF	STAINLESS STEEL BALL VALVE (F) SS-304	SIZE ADDED
55	CIBFE	CAST IRON BUTTERFLY VALVE WITH ELECTRIC ACTUATOR	SIZE ADDED
57	BFX	CAST IRON BUTTERFLY, REPLACEABLE SEAT & DISC	NEW ITEM

With warm regards

Rajesh Rathour
Director (Mktg. & Sales)



Product : **Sant C.I. Butterfly Valve**
 Type of Pattern : **Short Pattern** **HSN CODE : 84818030**
 Pressure/Class /Rating : **PN-1.6**
 Body Material cum standard : **IS-210 Gr. FG-200 Cast Iron**
 Product Description : **Wafer Type**
 Type of Seat : **Nitrile/EPDM Rubber Lining**
 Type of Disc : **SG Iron** **ISI MARKED**
 Stem : **AISI-410 Stainless Steel**
 End Details : **Suitable insertion between Flanges as per BS-10 Table D/E**
ANSI B 16.1 CI-125

Size/Inch	mm	Price / Pc.
1½	40	1962
2	50	2243
2½	65	2431
3	80	2613
4	100	3360
5	125	4316
6	150	4961
8	200	10079
10	250	16089
12	300	19205

CR 21A

PN16	PN10
Body Test Pressure : 2.4 MPa (348 Psig Hyd.)	1.5 MPa (220 Psig Hyd.)
Seat Test Pressure : 1.6 MPa (200 Psig Hyd.)	1.0 MPa (160 Psig Hyd.)



Product : **Sant C.I. Butterfly Valve**
 Type of Pattern : **Medium Pattern** **HSN CODE : 84818030**
 Pressure/Class /Rating : **PN-1.6**
 Body Material cum standard : **IS-210 Gr. FG-200 Cast Iron**
 Product Description : **Wafer Type**
 Type of Seat : **Nitrile/EPDM Rubber Lining**
 Type of Disc : **SG Iron** **ISI MARKED**
 Stem : **AISI-410 Stainless Steel**
 End Details : **Suitable insertion between Flanges as per BS-10 Table D/E**
ANSI B 16.1 CI-125

14	350	30389
16	400	39239
18	450	62543
20	500	94289
24	600	121970

CR 21B

PN16	PN10
Body Test Pressure : 2.4 MPa (348 Psig Hyd.)	1.5 MPa (220 Psig Hyd.)
Seat Test Pressure : 1.6 MPa (200 Psig Hyd.)	1.0 MPa (160 Psig Hyd.)



Product : **Sant C.I. Butterfly Valve**
 Type of Pattern : **Short Pattern** **HSN CODE : 84818030**
 Pressure/Class /Rating : **PN-1.6**
 Body Material cum standard : **IS-210 Gr. FG-200 Cast Iron**
 Product Description : **Wafer Type**
 Type of Seat : **Nitrile/EPDM Rubber Lining**
 Type of Disc : **CF 8 Stainless Steel** **ISI MARKED**
 Stem : **AISI-410 Stainless Steel**
 End Details : **Suitable insertion between Flanges as per BS-10 Table D/E**
ANSI B 16.1 CI-125

1½	40	2053
2	50	2357
2½	65	2537
3	80	3082
4	100	3812
5	125	5128
6	150	5799
8	200	12185
10	250	20003
12	300	25195

CR 22A

PN16	PN10
Body Test Pressure : 2.4 MPa (348 Psig Hyd.)	1.5 MPa (220 Psig Hyd.)
Seat Test Pressure : 1.6 MPa (200 Psig Hyd.)	1.0 MPa (160 Psig Hyd.)



Product : **Sant C.I. Butterfly Valve**
 Type of Pattern : **Medium Pattern** **HSN CODE : 84818030**
 Pressure/Class /Rating : **PN-1.6**
 Body Material cum standard : **IS-210 Gr. FG-200 Cast Iron**
 Product Description : **Wafer Type**
 Type of Seat : **Nitrile/EPDM Rubber Lining**
 Type of Disc : **CF 8 Stainless Steel** **ISI MARKED**
 Stem : **AISI-410 Stainless Steel**
 End Details : **Suitable insertion between Flanges as per BS-10 Table D/E**
ANSI B 16.1 CI-125

14	350	43611
16	400	53788
18	450	86679
20	500	108904
24	600	157588

CR 22B

PN16	PN10
Body Test Pressure : 2.4 MPa (348 Psig Hyd.)	1.5 MPa (220 Psig Hyd.)
Seat Test Pressure : 1.6 MPa (200 Psig Hyd.)	1.0 MPa (160 Psig Hyd.)

*NOTE : BUTTERFLY VALVES FROM 40MM TO 150MM WILL BE LEVER OPERATED AND SIZE 200MM AND ABOVE WILL BE GEAR OPERATED
 10 bar = 1MPa = 145 Psig. = 10.1972 Kg/cm²



Product : **Sant C.I. Butterfly Valve (Lever Operated)**
 Type of Pattern : **Short Pattern**
 Pressure/Class /Rating : **PN10**
 Body Material cum standard : **Cast Iron to IS:210 FG 200**
 Product Description : **Wafer Type**
 Type of Seat : **Nitrile/EPDM Rubber Lining**
 Type of Disc : **SG Iron**
 Stem : **AISI-410**
 End Details : **Suitable insertion between Flanges as per BS-10 Table D/E & B 16.1 CI-125**
 Body Test Pressure : **1.5MPa Hyd.**
 Seat Test Pressure : **1.10MPa Hyd.**

NEW ITEM

Size/Inch	mm	Price / Pc.
1½	40	1472
2	50	1650
2½	65	1811
3	80	1997
4	100	2604
5	125	3629
6	150	4110
8	200	6819
10	250	10341
12	300	12947

CR 23

HSN CODE : 84818030



Product : **Sant C.I. Butterfly Valve (Lever Operated)**
 Type of Pattern : **Short Pattern**
 Pressure/Class /Rating : **PN10**
 Body Material cum standard : **Cast Iron to IS:210 FG 200**
 Product Description : **Wafer Type**
 Type of Seat : **Nitrile/EPDM Rubber Lining**
 Type of Disc : **SS Disc**
 Stem : **AISI-410**
 End Details : **Suitable insertion between Flanges as per BS-10 Table D/E & B 16.1 CI-125**
 Body Test Pressure : **1.5MPa Hyd.**
 Seat Test Pressure : **1.10MPa Hyd.**

NEW ITEM

1½	40	1584
2	50	1826
2½	65	2152
3	80	2418
4	100	3167
5	125	4569
6	150	5100
8	200	9446
10	250	15481
12	300	21912

CR 24

HSN CODE : 84818030



Product : **Sant C.I. Butterfly Valve**
 Type of Pattern : **Wafer Type**
 Pressure/Class /Rating : **PN 20**
 Body Material cum standard : **SG Iron to IS:1865**
 Product Description : **Wafer Type**
 Type of Seat : **Nitrile/EPDM Lining**
 Type of Disc : **SS Seat CF8**
 Stem : **SS AISI-410**
 End Details : **Suitable insertion between Flanges as per BS-10 Table D/E or ASME B 16.1, Class-125**
 Body Test Pressure : **3.0 MPa Hyd.**
 Seat Test Pressure : **2.2 MPa Hyd.**

HSN CODE : 84818030

1½	40	2040
2	50	2330
2½	65	2526
3	80	2714
4	100	3492
5	125	4482
6	150	5154
8	200	11757
10	250	19440
12	300	23044

CR 27A

*NOTE : FOR STAINLESS STEEL CF-8 DISC 4% EXTRA RATE TO BE CHARGED



Product : **Sant Ductile Iron Butterfly Valve**
 Type of Pattern : **Wafer Type**
 Pressure/Class /Rating : **PN 25**
 Body Material cum standard : **SG Iron to IS:1865**
 Product Description : **Wafer Type**
 Type of Seat : **Nitrile/EPDM Lining**
 Type of Disc : **SS Seat CF8**
 Stem : **SS AISI-410**
 End Details : **Suitable insertion between Flanges as per BS-10 Table D/E or ASME B 16.1, Class-125**
 Body Test Pressure : **3.8 MPa Hyd.**
 Seat Test Pressure : **2.7 MPa Hyd.**

HSN CODE : 84818030

2	50	4051
2½	65	4637
3	80	5518
4	100	7118
5	125	9343
6	150	12201
8	200	23726
10	250	34260
12	300	48455

CR 28D

*NOTE : BUTTERFLY VALVES FROM 40MM TO 150MM WILL BE LEVER OPERATED AND SIZE 200MM AND ABOVE WILL BE GEAR OPERATED
 10 bar = 1MPa = 145 Psig. = 10.1972 Kg/cm²



Product : **Sant C.I. Butterfly Valve**
 Type of Pattern : **Short Pattern, Lever Operated**
 Pressure/Class /Rating : **PN 1.6**
 Body Material cum standard : **IS-210 Gr. FG-200 Cast Iron**
 Product Description : **Wafer Type**
 Type of Seat : **EPDM Rubber Lining**
 Type of Disc : **CF-8M Stainless Steel**
 Stem : **AISI-304 Stainless Steel**
 End Details : **Suitable insertion between Flanges as per BS-10 Table D/E CI-125**
 Body Test Pressure : **2.4 MPa Hyd. (348 Psig.)**
 Seat Test Pressure : **1.6 MPa Hyd. (232 Psig.)**

Size/Inch	mm	Price / Pc.
1½	40	2668
2	50	3054
2½	65	3294
3	80	3611
4	100	4628
5	125	5768
6	150	6513
8	200	14785
10	250	25874
12	300	32588
14	350	56415
16	400	77804
18	450	101937
20	500	140876
24	600	190532

CR 28C

HSN CODE : 84818030



Product : **Sant C.I. Reflux Valve (Non-Return Valve)**
 Product Standard : **as per IS 5312 PN-1.0**
 Type of Pattern : **Straight Type**
 Body Material cum standard : **IS-210 Gr. FG-200 Cast Iron**
 Product Description : **Bolted Cover**
 Type of Seat : **Integral Seat / Renewable**
 Type of Disc : **Renewable**
 Trim : **Body Seat Ring Gun Metal & Seat Ring Rubber**
 End Details : **Flanges as per IS:1538**
 Body Test Pressure : **1.5 MPa Hyd.**
 Seat Test Pressure : **1.0 MPa Hyd.**

2	50	3155
2½	65	3882
3	80	4977
4	100	6640
5	125	11517
6	150	13314
8	200	23785
10	250	39517
12	300	52235

CR 31

HSN CODE : 84813000



Product : **Sant C.I. Reflux Valve (Non-Return Valve)**
 Product Standard : **as per IS 5312**
 Type of Pattern : **Straight Type**
 Pressure/Class/Rating : **PN-1.6**
 Body Material cum standard : **IS-210 Gr. FG-200 Cast Iron**
 Product Description : **Bolted Cover**
 Type of Seat : **Integral Seat / Renewable**
 Type of Disc : **Renewable**
 Trim : **Body Seat Ring Gun Metal & Seat Ring Rubber**
 End Details : **Flanges as per IS-1538**
 Body Test Pressure : **2.4MPa (348Psig. Hyd.)**
 Seat Test Pressure : **1.6MPa (232Psig. Hyd.)**

2	50	3379
2½	65	4152
3	80	5327
4	100	7103
5	125	12324
6	150	14245
8	200	25451
10	250	42286
12	300	55889

CR 31A

HSN CODE : 84813000

*NOTE : BUTTERFLY VALVES FROM 40MM TO 150MM WILL BE LEVER OPERATED AND SIZE 200MM AND ABOVE WILL BE GEAR OPERATED

TERMS & CONDITIONS

1. Your Orders/Indents will be supplied on rates prevailing at the time of dispatch.
2. All orders placed direct or through Agent are valid only after confirmation from Head Office.
3. Rates are Ex-works, Jalandhar and inclusive of packing charges.
4. Every precaution is being taken while packing the goods which are generally booked at Railway/
5. Transport Risk but in case of any damage, loss or pilferage in transit we are not liable to accept any responsibility. Carriers would be considered as Indentor's Agent after a consignment is handed over by us to the former. Any Claim due to losses in transit or wrong delivery shall be concern between indentor and his carriers.
6. Order once placed and confirmed by us cannot be cancelled without our consent. We reserve the right to execute any order in full or in parts according to our supply position or manufacturing capacity. We accept no liabilities for delayed supplies for reasons beyond our control such as war, lockout breakdown or riots, etc. All commitments entered into by us are subject to above contingencies beyond our control.
7. Each consignment despatched contains Packing Slip. Any Shortage found in package received intact, should be reported to us for verification with in 7 DAYS from the date of taking delivery. Unless otherwise agreed upon all Way Bills or Railway Receipts for goods supplied shall be negotiated through scheduled Bank against payment only or per V.P.P.
New customers are requested to remit 25% of the value of the order as advance.
8. **Goods & Services Tax (GST@18%) will be charged extra as applicable.**
9. All disputes arising out of an order placed direct or through an Agent will be Subject to Jurisdiction of Law Courts at Jalandhar.
10. Rates & Terms are subject to alteration without notice.

-: NOTE :-

**ALL FLANGED VALVES ARE SUPPLIED UNDRILLED
UNLESS SPECIFIED BY THE INDENTOR**