

"FOR GUARANTEED TROUBLE FREE SERVICE"



SANT & SBM

V A L V E S

GUN METAL,
BRONZE,
CAST IRON &
STEEL VALVES

RETAIL PRICE LIST

List No. : SANT/RPL/ 01-2020

Dated : 15-01-2020

THIS CANCELS ALL OUR PREVIOUS PRICE LISTS.

GOODS & SERVICES TAX (GST @ 18%) EXTRA



For your kind attention

Dear Customer,

As usual; being always receptive to our valuable customer's feed back, we have added the following items in this price list, to meet your demands :-

1) **SANT VALVES PVT. LTD.**

NEW ADDED ITEMS			
Page No.	Item No.	Description	Remarks
26	IC-3	I.C. STAINLESS STEEL STEAM TRAP	NEW ITEM
30	CR-23	CAST IRON BUTTERFLY VALVE (LEVER OPERATED) MI SEAT	NEW ITEM
30	CR-24	CAST IRON BUTTERFLY VALVE (LEVER OPERATED) S.S. SEAT	NEW ITEM
32	CS-3A	CAST IRON 'Y' TYPE STRAINER	SIZE ADDED
51	RSV	DUCTILE IRON RESILIENT SEATED GATE/SLUICE VALVE	NEW ITEM

2) **SANT WATERTECH PRIVATE LTD.**

NEW ITEMS			
Page No.	Item No.	Description	Remarks
53	WM-7	ELECTROMAGNETIC FLOW METER	SIZE ADDED

3) **SANT AUTOMATIONS & NEW TECH**

NEW ITEMS			
Page No.	Item No.	Description	Remarks
54	SSBVF	STAINLESS STEEL BALL VALVE (F) SS-304	SIZE ADDED
55	CIBFE	CAST IRON BUTTERFLY VALVE WITH ELECTRIC ACTUATOR	SIZE ADDED
57	BFX	CAST IRON BUTTERFLY, REPLACEABLE SEAT & DISC	NEW ITEM

With warm regards

Rajesh Rathour
Director (Mktg. & Sales)



Product : **Sant C.I. Gate Valve (All Iron)**
 Type of Pattern : **Clip Pattern**
 Body Material cum standard : **Cast Iron IS 210 Gr. FG 200**
 Product Description : **Clamped Bonnet Inside Screw Rising Stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Solid Wedge**
 Trim : **Mild Steel**
 Gland Packing : **Lubricated Asbestos**
 End Details : **Screwed Female BSP Parallel Threads to BS:21**
 Body Test Pressure : **21.09kg/cm² Hyd. 300Psig. Hyd.**
 Seat Test Pressure : **14.06kg/cm²g (200Psig. Hyd.)**

Size/Inch	mm	Price / Pc.
1/2	15	595
3/4	20	664
1	25	722
1¼	32	944
1½	40	1320
2	50	1738
2½	65	2926
3	80	4290

CI 13

HSN CODE : 84818030



Product : **Sant C.I. Gate Valve**
 Type of Pattern : **Clip Pattern**
 Body Material cum standard : **Cast Iron IS 210 Gr. FG 200**
 Product Description : **Clamped Bonnet Inside Screw Rising Stem**
 Type of Seat : **Renewable**
 Type of Disc : **Solid Wedge**
 Trim : **Cu-Alloy**
 Gland Packing : **Lubricated Asbestos**
 End Details : **Screwed Female BSP Parallel Threads to BS:21**
 Body Test Pressure : **21.09kg/cm² Hyd.**
 Seat Test Pressure : **14.06kg/cm²g Hyd.**

1/2	15	749
3/4	20	1077
1	25	1209
1¼	32	1715
1½	40	2269
2	50	3325
2½	65	5388
3	80	8736

CI 14

HSN CODE : 84818030



Product : **Sant C.I. Y Type Strainer**
 Type of Pattern : **Y Type**
 Body Material cum standard : **Cast Iron IS 210 Gr FG 200**
 Product Description : **Screwed in cover**
 Trim : **SS 304 Screen having 1.2mm perforation**
 End Details : **Screwed female BSP Parallel threads to BS-21**
 Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
 Working Pressure : **10.54kg/cm²g (150Psig.) Hyd.**
(For Water Lines)

1/2	15	264
3/4	20	395
1	25	649
1¼	32	805
1½	40	1230
2	50	2239

CI 16

HSN CODE : 84818030



Product : **Sant C.I. Y Type Strainer**
 Type of Pattern : **Y Type**
 Body Material cum standard : **Cast Iron IS 210 Gr. FG 200**
 Product Description : **Screwed / Bolted Cover**
 Trim : **S.S. Screen/SS 304 having 1.2mm perforation**
 End Details : **Flanges as per BS 10 Table F undrilled**
 Body Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
(For Water Line)

1	25	1365
1¼	32	1686
1½	40	2399
2	50	3277
2½	65	4664
3	80	6055
4	100	9053
5	125	14339
6	150	18439
8	200	34577
10	250	47454
12	300	72535

CI 16 B

(With Magnet 15% Extra Rates)

HSN CODE : 84818030



Product : **Sant C.I. Ball Valve**
 Product Standard : **IS-9890 -1981 Class-125**
 Type of Pattern : **Straight**
 Body Material cum standard : **Cast Iron IS 210 Gr. FG 220**
 Product Description : **Two piece design**
 Type of Seat : **Renewable Teflon**
 Trim : **AISI 410 Stem, Stainless Steel AISI 304 Ball**
 Gland Packing : **Teflon Rings**
 End Details : **Screwed Female BSP Parallel Threads BS:21**
 Body Test Pressure : **21barg 300Psig. Hyd.**
 Seat Test Pressure : **220Psig.(15.4barg) Hyd. & 100Psig. (6.9 bar) AIR**
ISI Marked

CI 17

HSN CODE : 84818030

Size/Inch	mm	Price / Pc.
1/2	15	397
3/4	20	595
1	25	705
1¼	32	1167
1½	40	1519
2	50	2070
2½	65	4182
3	80	6137
4	100	14603



Product : **Sant C.I. Ball Valve**
 Product Standard : **IS-9890 -1981 Class-125**
 Body Material cum standard : **Cast Iron IS 210 Gr. FG 220**
 Product Description : **Three piece design**
 Type of Seat : **Renewable Teflon Seat**
 Trim : **AISI 410 Stem Stainless Steel AISI 304 Ball**
 Gland Packing : **Teflon Rings**
 End Details : **Flanges as per IS:3516-1966 Undrilled**
 Body Test Pressure : **21barg 300Psig. Hyd.**
 Seat Test Pressure : **220Psig.(15.4barg) Hyd. & 100Psig. (6.9 bar) AIR**
ISI Marked

CI 18

HSN CODE : 84818030

1	25	1519
1¼	32	2113
1½	40	2706
2	50	4186
2½	65	6305
3	80	9018
4	100	17299



Product : **Sant C.I. 'T' Strainer Flanged**
 Type of Pattern : **Tee Type**
 Body Material cum standard : **Cast Iron IS 210 Gr FG 200**
 Product Description : **Bolted Bonnet**
 Trim : **SS 304 Screen 1.2 perforation**
 End Details : **Flanged as per Class-150**
 Body Test Pressure : **300Psig. (Hyd.)**

CI 19

HSN CODE : 84818030

2	50	3276
2½	65	4663
3	80	6055
4	100	9051
6	150	17456
8	200	30095



Product : **Sant C.I. Wedge Gate Sluice Valve**
 Product Standard : **IS-14846 dully ISI Marked**
 Pressure/Class /Rating : **PN 1.0 PD Type**
 Body Material cum standard : **IS-210 Gr. FG-200 Cast Iron**
 Product Description : **Bolted Bonnet inside screw non-rising stem**
 Type of Seat : **Renewable**
 Type of Wedge : **Solid Wedge**
 Trim : **Cu-Alloy Rings, stem SS (12 Cr. 12)**
 Gland Packing : **Lubricated Asbestos**
 End Details : **Flanges as per IS 1538 F/F Drilled**
 Body Test Pressure : **1.5 MPa Hyd.**
 Seat Test Pressure : **1.0 MPa Hyd.**

Size/Inch	mm	Price / Pc.
2	50	6353
2½	65	8553
3	80	9732
4	100	14742
5	125	17071
6	150	19222
8	200	30723
10	250	49915
12	300	58463

CR 32

HSN CODE : 84818030



Product : **Sant C.I. Wedge Gate Sluice Valve**
 Pressure/Class /Rating : **PN 1.0 PD Type**
 Body Material cum standard : **IS-210 Gr. FG-200 Cast Iron**
 Product Description : **Bolted Bonnet outside screw & Yoke type rising stem**
 Type of Seat : **Renewable**
 Type of Wedge : **Solid Wedge**
 Trim : **Cu-Alloy, Stem SS AISI-410**
 Gland Packing : **Lubricated Asbestos**
 End Details : **Flanges as per IS 1538 F/F Drilled**
 Body Test Pressure : **1.5 MPa (Hyd.)**
 Seat Test Pressure : **1.0 MPa (Hyd.)**

2	50	6479
2½	65	8726
3	80	9927
4	100	15038
5	125	17411
6	150	19608
8	200	31337
10	250	50908
12	300	59631

CR 32A

HSN CODE : 84818030



Product : **Sant C.I. Wedge Gate Sluice Valve**
 Product Standar : **IS-14846 dully ISI Marked**
 Pressure/Class /Rating : **PN 1.6 PD Type**
 Body Material cum standard : **IS-210 Gr. FG-200 Cast Iron**
 Product Description : **Bolted Bonnet Inside screw non rising stem**
 Type of Seat : **Renewable**
 Type of Wedge : **Solid Wedge**
 Trim : **Cu-Alloy, Stem SS (12 Cr. 12)**
 Gland Packing : **Lubricated Asbestos**
 End Details : **Flanges as per IS 1538 F/F Drilled**
 Body Test Pressure : **2.4 MPa Hyd. (348 Psig)**
 Seat Test Pressure : **1.6 MPa Hyd. (232 Psig)**

2	50	6691
2½	65	9140
3	80	10333
4	100	15783
5	125	18135
6	150	20482
8	200	32562
10	250	52824
12	300	61678

CR 32B

HSN CODE : 84818030



Product : **Sant C.I. Wedge Gate Sluice Valve**
 Pressure/Class /Rating : **PN 1.6 PD Type**
 Body Material cum standard : **IS 210 Gr. FG 200 Cast Iron**
 Product Description : **Bolted bonnet inside screw non rising stem**
 Type of Seat : **Renewable**
 Type of Wedge : **Renewable Solid Wedge**
 Trim : **Cu-Alloy Seats, Stem SS AISI 410**
 Gland Packing : **Lubricated Asbestos**
 End Details : **Flanges as per IS-1538 FF Drilled**
 Body Test Pressure : **2.4MPa Hyd. (348 Psig. Hyd.)**
 Seat Test Pressure : **1.6MPa Hyd. (232 Psig. Hyd.)**

2	50	6372
2½	65	8705
3	80	9841
4	100	15031
5	125	17271
6	150	19507
8	200	31011
10	250	50308
12	300	58740

CR 19A

HSN CODE : 84818030



Product : **Sant C.I. Wedge Gate Sluice Valve**
 Pressure/Class/Rating : **PN 1.6 PD Type**
 Body Material cum standard : **Cast Iron IS-210 Gr. FG-200**
 Product Description : **Bolted bonnet outside screw & Yoke type rising stem**
 Type of Seat : **Renewable**
 Type of Wedge : **Solid Wedge**
 Trim : **Cu-Alloy Seats, Stem SS AISI 410**
 Gland Packing : **Lubricated Asbestos**
 End Details : **Flanges Drilled as per IS-1538 FF Drilled**
 Body Test Pressure : **2.4MPa Hyd. (348Psig.) Hyd.**
 Seat Test Pressure : **1.6MPa Hyd. (232Psig.) Hyd.**

Size/Inch	mm	Price / Pc.
2	50	6502
2½	65	8878
3	80	10036
4	100	15331
5	125	17618
6	150	19898
8	200	31633
10	250	51312
12	300	59915

CR 19B

HSN CODE : 84818030



Product : **Sant C.I. Wedge Gate Sluice Valve**
 Product Standard : **Face to Face, flange dimensions as per IS-780**
 Pressure/Class /Rating : **PN 1.0**
 Body Material cum standard : **IS 210 Gr. FG 200 Cast Iron**
 Product Description : **Bolted bonnet inside screw non rising stem**
 Type of Seat : **Renewable**
 Type of Wedge : **Renewable Solid Wedge**
 Trim : **Cu-Alloy Seats, Stem SS AISI 410**
 Gland Packing : **Lubricated Asbestos**
 End Details : **Flanges as per IS-780/IS-1538 FF Drilled**
 Body Test Pressure : **1.5 MPa Hyd.**
 Seat Test Pressure : **1.0 MPa Hyd.**

2	50	4323
2½	65	5099
3	80	6261
4	100	8252
5	125	11163
6	150	14685
8	200	20874
10	250	47417
12	300	55544

CR 19

HSN CODE : 84818030



Product : **Sant C.I. Wedge Gate Sluice Valve**
 Body Material cum standard : **IS 210 Gr. FG 200 Cast Iron**
 Product Description : **Bolted bonnet inside screw non rising stem**
 Type of Seat : **Renewable**
 Type of Wedge : **Renewable Solid Wedge**
 Trim : **Cu-Alloy Seats, Stem SS AISI 410**
 Gland Packing : **Lubricated Asbestos**
 End Details : **Flanges as per BS 10 Table D FF Drilled**
 Body Test Pressure : **1.5 MPa Hyd.**
 Seat Test Pressure : **1.0 MPa Hyd.**

2	50	3721
2½	65	4650
3	80	5582
4	100	7445
6	150	13493
8	200	19073

CR 20

HSN CODE : 84818030

TERMS & CONDITIONS

1. Your Orders/Indents will be supplied on rates prevailing at the time of dispatch.
2. All orders placed direct or through Agent are valid only after confirmation from Head Office.
3. Rates are Ex-works, Jalandhar and inclusive of packing charges.
4. Every precaution is being taken while packing the goods which are generally booked at Railway/
5. Transport Risk but in case of any damage, loss or pilferage in transit we are not liable to accept any responsibility. Carriers would be considered as Indentor's Agent after a consignment is handed over by us to the former. Any Claim due to losses in transit or wrong delivery shall be concern between indentor and his carriers.
6. Order once placed and confirmed by us cannot be cancelled without our consent. We reserve the right to execute any order in full or in parts according to our supply position or manufacturing capacity. We accept no liabilities for delayed supplies for reasons beyond our control such as war, lockout breakdown or riots, etc. All commitments entered into by us are subject to above contingencies beyond our control.
7. Each consignment despatched contains Packing Slip. Any Shortage found in package received intact, should be reported to us for verification with in 7 DAYS from the date of taking delivery. Unless otherwise agreed upon all Way Bills or Railway Receipts for goods supplied shall be negotiated through scheduled Bank against payment only or per V.P.P.
New customers are requested to remit 25% of the value of the order as advance.
8. **Goods & Services Tax (GST@18%) will be charged extra as applicable.**
9. All disputes arising out of an order placed direct or through an Agent will be Subject to Jurisdiction of Law Courts at Jalandhar.
10. Rates & Terms are subject to alteration without notice.

-: NOTE :-

**ALL FLANGED VALVES ARE SUPPLIED UNDRILLED
UNLESS SPECIFIED BY THE INDENTOR**