

"FOR GUARANTEED TROUBLE FREE SERVICE"



# SANT & SBM

V A L V E S

GUN METAL,  
BRONZE,  
CAST IRON &  
STEEL VALVES

RETAIL PRICE LIST

List No. : SANT/RPL/ 01-2020

Dated : 15-01-2020

THIS CANCELS ALL OUR PREVIOUS PRICE LISTS.

**GOODS & SERVICES TAX (GST @ 18%) EXTRA**





### FSV 1A

Product : **Sant Forged Steel Gate Valve**  
 Product Standard : **Conforming to BS5352/API 602 Class-800**  
 Pressure/Class /Rating : **Class-800**  
 Body Material cum standard : **FCS (A 105)**  
 Product Description : **Bolted Bonnet O/S & Yoke type Rising Stem**  
 Type of Seat : **Renewable Seat**  
 Type of Disc : **Renewable Disc**  
 Trim : **SS Type 410** HSN CODE : 84818030  
 End Details : **Screwed female NPT threads**  
 Fastner & Gasket : **Alloy Steel (Gr. B7/2H)**  
**Spiral Wound SS 304 (CAF/Graphite filled)**  
 Body Test Pressure : **207 barg Hyd. (3000 Psig)**  
 Seat Test Pressure : **152 barg (2200Psig) Hyd. (6.9barg(100Psig) AIR**

Size/Inch	mm	Price / Pc.
3/8	10	1840
1/2	15	1840
3/4	20	2256
1	25	3102
1¼	32	5580
1½	40	6418
2	50	9052



### FSV 1B

Product : **Sant Forged Steel Gate Valve**  
 Product Standard : **Conforming to BS5352/API 602 Class-800**  
 Pressure/Class /Rating : **Class-800**  
 Body Material cum standard : **FCS (A 105)**  
 Product Description : **Bolted Bonnet O/S & Yoke type Rising Stem**  
 Type of Seat : **Renewable Seat**  
 Type of Disc : **Renewable Disc**  
 Trim : **SS Type 410** HSN CODE : 84818030  
 End Details : **Socket Welded Ends as per ASME B 16.11**  
 Fastner & Gasket : **Alloy Steel (Gr. B7/2H)**  
**Spiral Wound SS 304 (CAF/Graphite filled)**  
 Body Test Pressure : **207 barg Hyd. (3000 Psig)**  
 Seat Test Pressure : **152 barg (2200Psig) Hyd. (6.9barg(100Psig) AIR**

Size/Inch	mm	Price / Pc.
3/8	10	1840
1/2	15	1840
3/4	20	2256
1	25	3102
1¼	32	5580
1½	40	6418
2	50	9052



### FSV 2A

Product : **Sant Forged Steel Globe Valve**  
 Product Standard : **BS5352/API 602 Class-800**  
 Pressure/Class /Rating : **Class-800**  
 Body Material cum standard : **FCS (A 105)**  
 Product Description : **Bolted Bonnet O/S Yoke type Rising Stem**  
 Type of Seat : **Renewable Seat**  
 Type of Disc : **Renewable Disc**  
 Trim : **SS AISI-410** HSN CODE : 84818030  
 End Details : **Screwed Female NPT Threads**  
 Fastners & Gaskets : **Alloy Steel (Gr. B7/2H)/Spiral wound SS304(CAF/Graphite filled)**  
 Body Test Pressure : **207 barg (3000Psig.) Hyd.**  
 Seat Test Pressure : **152 barg(2200Psig.) Hyd. 6.9barg 100Psig. AIR**

Size/Inch	mm	Price / Pc.
3/8	10	1796
1/2	15	1796
3/4	20	2256
1	25	3079
1¼	32	5266
1½	40	6439
2	50	9423



### FSV 2B

Product : **Sant Forged Steel Globe Valve**  
 Product Standard : **BS5352/API 602 Class-800**  
 Pressure/Class /Rating : **Class-800**  
 Body Material cum standard : **FCS (A 105)**  
 Product Description : **Bolted Bonnet O/S Yoke type Rising Stem**  
 Type of Seat : **Renewable Seat**  
 Type of Disc : **Renewable Disc**  
 Trim : **SS AISI-410** HSN CODE : 84818030  
 End Details : **Socket Welded Ends as per ASME B 16.11**  
 Fastners & Gaskets : **Alloy Steel (Gr. B7/2H)**  
**Spiral Wound SS304(CAF/Graphite filled)**  
 Body Test Pressure : **207 barg (3000Psig.) Hyd.**  
 Seat Test Pressure : **152 barg(2200Psig.) Hyd. 6.9barg 100Psig. AIR**

Size/Inch	mm	Price / Pc.
3/8	10	1796
1/2	15	1796
3/4	20	2256
1	25	3079
1¼	32	5266
1½	40	6439
2	50	9423



**FSV 3A**

Product : **Sant Forged Steel Horizontal Lift Check Valve**  
 Product Standard : **BS5352/API 602**  
 Pressure/Class /Rating : **Class-800**  
 Body Material cum standard : **FCS (A 105)**  
 Product Description : **Bolted Cover**  
 Type of Seat : **Renewable Seat**  
 Type of Disc : **Renewable Disc**  
 Trim : **SS AISI 410**  
 Fastners : **Alloy Steel (Gr. B7/2H)**  
 End Details : **Screwed female NPT threads**  
 Gasket : **Spiral Wound SS 304 (CAF / Graphite Filled)**  
 Body Test Pressure : **207 (3000 Psig.) barg Hyd.**  
 Seat Test Pressure : **152 barg (2200Psig.) Hyd. (6.9 (100 Psig.) barg AIR**

**HSN CODE : 84813000**

Size/Inch	mm	Price / Pc.
3/8	10	1482
1/2	15	1482
3/4	20	1675
1	25	2457
1½	40	5765
2	50	8390



**FSV 3B**

Product : **Sant Forged Steel Horizontal Lift Check Valve**  
 Product Standard : **BS5352/API 602**  
 Pressure/Class /Rating : **Class-800**  
 Body Material cum standard : **FCS (A 105)**  
 Product Description : **Bolted Cover**  
 Type of Seat : **Renewable Seat**  
 Type of Disc : **Renewable Disc**  
 Trim : **SS AISI 410**  
 Fastners : **Alloy Steel (Gr. B7/2H)**  
 End Details : **Socket Welded Ends as per ASME B 16.11**  
 Gasket : **Spiral Wound SS 304 (CAF / Graphite Filled)**  
 Body Test Pressure : **207 (3000 Psig.) barg Hyd.**  
 Seat Test Pressure : **152 barg (2200Psig.) Hyd. 6.9 (100 Psig.) barg AIR**

**HSN CODE : 84813000**

3/8	10	1482
1/2	15	1482
3/4	20	1675
1	25	2457
1½	40	5765
2	50	8390



**FSV 4A**

Product : **Sant Forged Stainless Steel Thermodynamic Steam Trap**  
 Body Material cum standard : **FSS (AISI 410)**  
 Product Description : **Thermodynamic Type with inbuilt Strainer**  
 Trim : **SS AISI-410**  
 End Details : **Screwed Female BSP Taper threads to BS-21**  
 Body Test Pressure : **63.3 kg/cm²g 900Psig. Hyd.**  
 Working Pressure : **Suitable for max. BOP 450Psig.(31.65kg/cm²g) at 750°F (400°C)**

**HSN CODE : 84818030**

1/2	15	1970
3/4	20	2383
1	25	3208



**FSV 4B**

Product : **Sant Forged Stainless Steel Thermodynamic Steam Trap**  
 Body Material cum standard : **FSS (AISI 410)**  
 Product Description : **Thermodynamic Type with inbuilt Strainer**  
 Trim : **SS AISI-410**  
 End Details : **Socket Welded Ends as per ASME B 16.11**  
 Body Test Pressure : **63.3 kg/cm²g 900Psig. Hyd.**  
 Seat Test Pressure : **Suitable for max. BOP 450Psig.(31.65kg/cm²g) at 750°F (400°C)**

**HSN CODE : 84818030**

1/2	15	1970
3/4	20	2383
1	25	3208





### FSV 7A

Product : **Sant Forged Steel Horizontal Lift Check Valve**  
 Product Standard : **BS 5352/API 602**  
 Type of Pattern : **Standard Bore**  
 Pressure/Class /Rating : **Class-800**  
 Body Material cum standard : **FCS (A 105)**  
 Product Description : **Bolted Cover**  
 Type of Seat : **Renewable Seat**  
 Type of Disc : **Renewable Disc**  
 Trim : **SS AISI 410**  
 Fastners : **Alloy Steel (Gr. B7/2H)**  
 End Details : **Screwed Female NPT-Thread**  
 Gasket : **Spiral Wound SS 304 with CAF/Graphite Filled**  
 Body Test Pressure : **207 barg Hyd. (3000 Psig)**  
 Seat Test Pressure : **152 barg (2200Psig.) Hyd.** **HSN CODE : 84813000**

Size/Inch	mm	Price / Pc.
1/2	15	1675
3/4	20	2457
1¼	32	5765
1½	40	8390



### FSV 7B

Product : **Sant Forged Steel Horizontal Lift Check Valve**  
 Product Standard : **BS 5352/API 602**  
 Type of Pattern : **Standard Bore**  
 Pressure/Class /Rating : **Class-800**  
 Body Material cum standard : **FCS (A 105)**  
 Product Description : **Bolted Cover**  
 Type of Seat : **Renewable Seat**  
 Type of Disc : **Renewable Disc**  
 Trim : **SS AISI 410**  
 Fastners : **Alloy Steel (Gr. B7/2H)**  
 End Details : **Socket Welded Ends as per ASME B16.11**  
 Gasket : **Spiral wound SS 304/(CAF/Graphite Filled)**  
 Body Test Pressure : **207 barg (3000Psig.) Hyd.**  
 Seat Test Pressure : **152 barg (2200Psig.) Hyd.** **HSN CODE : 84813000**

Size/Inch	mm	Price / Pc.
1/2	15	1675
3/4	20	2457
1¼	32	5765
1½	40	8390



### FSV 8A

Product : **Sant Forged Steel Gate Valve**  
 Product Standard : **Conforming to BS-5352/API 602**  
 Pressure Class Rating : **Class 1500**  
 Body Material cum standard : **FCS (A 105)**  
 Product Description : **Bolted Bonnet O/S Yoke Type Rising Stem**  
 Type of Seat : **Renewable**  
 Type of Wedge : **Solid Wedge**  
 Trim : **SS AISI-410**  
 End Details : **Socket Welded ends as per ASME B 16.11**  
 Body Test Pressure : **384 barg Hyd.**  
 Seat Test Pressure : **281 barg Hyd., 6.9 barg (100 Psig) AIR** **HSN CODE : 84818030**

Size/Inch	mm	Price / Pc.
1/2	15	3236
3/4	20	4638
1	25	7284
1½	40	12707



### FSV 9A

Product : **Sant Forged Steel Globe Valve**  
 Product Standard : **Conforming to BS-5352/API 602**  
 Pressure Class Rating : **Class 1500**  
 Body Material cum standard : **FCS (A 105)**  
 Product Description : **Bolted Bonnet O/S Yoke Type Rising Stem**  
 Type of Seat : **Renewable Seat**  
 Type of Disc : **Renewable Disc**  
 Trim : **SS AISI-410**  
 End Details : **Socket Welded ends as per ASME B 16.11**  
 Body Test Pressure : **384 barg Hyd.**  
 Seat Test Pressure : **281 barg Hyd., 6.9 barg (100 Psig) AIR** **HSN CODE : 84818030**

Size/Inch	mm	Price / Pc.
1/2	15	2905
3/4	20	4525
1	25	7560
1½	40	13531



Product : **Sant Forged Steel Horizontal Check Valve**  
 Product Standard : **Conforming to BS-5352/API 602**  
 Pressure Class Rating : **Class 1500**  
 Body Material cum standard : **FCS (A 105)**  
 Product Description : **Bolted Cover**  
 Type of Seat : **Renewable Seat**  
 Type of Disc : **Renewable Disc**  
 Trim : **SS AISI-410**  
 End Details : **Socket Welded ends as per ASME B 16.11**  
 Body Test Pressure : **384 barg Hyd.**  
 Seat Test Pressure : **281 barg Hyd., 6.9 barg (100 Psig) AIR**

Size/Inch	mm	Price / Pc.
1/2	15	2625
3/4	20	4133
1	25	7038
1½	40	13068

### FSV 10A

HSN CODE : 84813000



Product : **Sant Forged Steel Gate Valve**  
 Product Standard : **API 602**  
 Type of Pattern : **Straight**  
 Pressure/Class /Rating : **Class-600**  
 Body Material cum standard : **FCS ASTM A 105**  
 Product Description : **Bolted Bonnet O/S Yoke Type Rising Stem**  
 Type of Seat : **Renewable Seat**  
 Type of Wedge : **Solid Wedge**  
 Trim : **AISI 410**  
 End Details : **Flanges as ASME B 16.5 Class 600 RF Undrilled**  
 Body Test Pressure : **153 Barg (2220Psig.) Hyd.**  
 Seat Test Pressure : **112 Barg (1630Psig.) Hyd. 6.9 Barg (100 Psig) AIR**

1/2	15	6364
3/4	20	9220
1	25	12185
1½	40	21885

### FSV 11

HSN CODE : 84818030



Product : **Sant Forged Steel Globe Valve**  
 Product Standard : **API 602**  
 Pressure Class Rating : **Class 600**  
 Body Material cum standard : **FCS ASTM A 105**  
 Product Description : **Bolted Bonnet O/S Yoke Type Rising Stem**  
 Type of Seat : **Renewable Seat**  
 Type of Disc : **Renewable Disc**  
 Trim : **AISI-410**  
 End Details : **Flanges as ASME B 16.5 Class 600 RF Undrilled**  
 Body Test Pressure : **153 Barg (2220Psig.) Hyd.**  
 Seat Test Pressure : **112 Barg (1630Psig.) Hyd. 6.9 Barg (100 Psig) AIR**

1/2	15	5557
3/4	20	9143
1	25	12092
1½	40	21283

### FSV 12

HSN CODE : 84818030

## TERMS & CONDITIONS

1. Your Orders/Indents will be supplied on rates prevailing at the time of dispatch.
2. All orders placed direct or through Agent are valid only after confirmation from Head Office.
3. Rates are Ex-works, Jalandhar and inclusive of packing charges.
4. Every precaution is being taken while packing the goods which are generally booked at Railway/
5. Transport Risk but in case of any damage, loss or pilferage in transit we are not liable to accept any responsibility. Carriers would be considered as Indentor's Agent after a consignment is handed over by us to the former. Any Claim due to losses in transit or wrong delivery shall be concern between indentor and his carriers.
6. Order once placed and confirmed by us cannot be cancelled without our consent. We reserve the right to execute any order in full or in parts according to our supply position or manufacturing capacity. We accept no liabilities for delayed supplies for reasons beyond our control such as war, lockout breakdown or riots, etc. All commitments entered into by us are subject to above contingencies beyond our control.
7. Each consignment despatched contains Packing Slip. Any Shortage found in package received intact, should be reported to us for verification with in 7 DAYS from the date of taking delivery. Unless otherwise agreed upon all Way Bills or Railway Receipts for goods supplied shall be negotiated through scheduled Bank against payment only or per V.P.P.  
New customers are requested to remit 25% of the value of the order as advance.
8. **Goods & Services Tax (GST@18%) will be charged extra as applicable.**
9. All disputes arising out of an order placed direct or through an Agent will be Subject to Jurisdiction of Law Courts at Jalandhar.
10. Rates & Terms are subject to alteration without notice.

### -: NOTE :-

**ALL FLANGED VALVES ARE SUPPLIED UNDRILLED  
UNLESS SPECIFIED BY THE INDENTOR**