



Product : **SBM Bronze Gate Valve**
 Type of Pattern : **Peglar Type PN-20**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in bonnet inside screw non rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Solid Wedge**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **30.60kg/cm²g Hyd.**
 Seat Test Pressure : **20.40kg/cm²g Hyd.**

Size/Inch	mm	Price / Pc.
1/4	8	551
3/8	10	551
1/2	15	601
3/4	20	806
1	25	1300
1¼	32	1541
1½	40	2375
2	50	3254
2½	65	8078
3	80	10047
4	100	20294

SBM 1

HSN CODE : 84818030



Product : **SBM Bronze Gate Valve**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in bonnet inside screw non rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Solid Wedge**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **30.60kg/cm²g Hyd.**
 Seat Test Pressure : **20.40kg/cm²g Hyd.**

1/4	8	745
3/8	10	745
1/2	15	849
3/4	20	1196
1	25	1692
1¼	32	2302
1½	40	3439
2	50	5343
2½	65	8085
3	80	13604
4	100	22549

SBM 2

HSN CODE : 84818030



Product : **SBM Bronze Gate Valve Flanged**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **IS 318 Gr. LTB 2 (Bronze)**
 Product Description : **Screwed in bonnet inside screw non rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Solid Wedge**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Flanges as per BS 10 Table D F.F. Undrilled**
 Body Test Pressure : **30.60kg/cm²g Hyd.**
 Seat Test Pressure : **20.40kg/cm²g Hyd.**

1/2	15	2561
3/4	20	3149
1	25	4530
1¼	32	6106
1½	40	8511
2	50	10736
2½	65	16942
3	80	23594
4	100	40779
5	125	66044
6	150	127537

SBM 3

HSN CODE : 84818030



Product : **SBM Bronze Globe Valve No. 4**
 Type of Pattern : **Medium Duty**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in bonnet inside screw rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
 Seat Test Pressure : **14.06kg/cm²g (200Psig.) Hyd.**

1/4	8	284
3/8	10	329
1/2	15	396
3/4	20	640
1	25	887
1¼	32	1744
1½	40	2393
2	50	3548
2½	65	7894
3	80	10873
4	100	18101

SBM 5

HSN CODE : 84818030



Product : **SBM Bronze Globe Valve No. 8**
 Type of Pattern : **Medium Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in bonnet inside screw rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Flanges as per BS 10 Table D**
 Body Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
 Seat Test Pressure : **14.06kg/cm²g (200Psig.) Hyd.**

Size/Inch	mm	Price / Pc.
1/2	15	1914
3/4	20	2534
1	25	3548
1¼	32	4436
1½	40	6091
2	50	9044
2½	65	14655
3	80	17107
4	100	31105
5	125	53577

SBM 6

HSN CODE : 84818030



Product : **SBM Bronze Globe Valve No. 5**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in bonnet inside screw rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **35.15kg/cm²g (500Psig.) Hyd.**
 Seat Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**

1/4	8	447
3/8	10	481
1/2	15	726
3/4	20	1035
1	25	1701
1¼	32	2534
1½	40	3566
2	50	5294
2½	65	10119
3	80	13709
4	100	22693

SBM 7

HSN CODE : 84818030



Product : **SBM Bronze Globe Valve No. 9**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in bonnet inside screw rising stem**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 Gland Packing : **PTFE**
 End Details : **Flanges as per BS 10 Table F Undrilled**
 Body Test Pressure : **35.15kg/cm²g (500Psig.) Hyd.**
 Seat Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**

1/2	15	2611
3/4	20	3181
1	25	5101
1¼	32	6729
1½	40	8681
2	50	12204
2½	65	20754
3	80	26715
4	100	40569

SBM 8

HSN CODE : 84818030



Product : **SBM Bronze Horizontal Lift Check Valve No. 4**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in cover**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
 Seat Test Pressure : **14.06kg/cm²g (200Psig.) Hyd.**

1/4	8	316
3/8	10	316
1/2	15	365
3/4	20	572
1	25	945
1¼	32	1872
1½	40	2325
2	50	3741
2½	65	7388
3	80	10439
4	100	18915

SBM 9

HSN CODE : 84813000



Product : **SBM Bronze Horizontal Lift Check Valve No. 8**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in cover**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 End Details : **Flanges as per BS 10 Table-D Undrilled**
 Gasket :
 Body Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**
 Seat Test Pressure : **14.06kg/cm²g (200Psig.) Hyd.**

Size/Inch	mm	Price / Pc.
1/2	15	1862
3/4	20	2356
1	25	3566
1¼	32	4733
1½	40	6029
2	50	8247
2½	65	12868
3	80	18258
4	100	30467
5	125	53230

SBM 10

HSN CODE : 84813000



Product : **SBM Bronze Horizontal Lift Check Valve No. 5**
 Type of Pattern : **Heavy Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in cover**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **35.15kg/cm²g (500Psig.) Hyd.**
 Seat Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**

1/2	15	565
3/4	20	951
1	25	1463
1¼	32	2402
1½	40	2927
2	50	4627
2½	65	5735
3	80	12431
4	100	14416

SBM 11

HSN CODE : 84813000



Product : **SBM Bronze Horizontal Lift Check Valve No. 9**
 Type of Pattern : **Heavy Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed in cover**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 End Details : **Flanges as per BS 10 Table F Undrilled**
 Body Test Pressure : **35.15kg/cm²g (500Psig.) Hyd.**
 Seat Test Pressure : **21.09kg/cm²g (300Psig.) Hyd.**

1/2	15	2256
3/4	20	3251
1	25	4938
1¼	32	6314
1½	40	8274
2	50	9636
2½	65	19885
3	80	29544
4	100	34274

SBM 12

HSN CODE : 84813000



Product : **SBM Bronze Vertical Lift Check Valve**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Type of Seat : **Integral Seat**
 Type of Disc : **Renewable Disc**
 Trim : **Cu-Alloy**
 End Details : **Screwed female BSP threads to BS-21**
 Body Test Pressure : **300Psig. Hyd.**
 Seat Test Pressure : **200Psig. Hyd.**

1/2	15	365
3/4	20	524
1	25	831
1¼	32	1233
1½	40	1609
2	50	2143
2½	65	4791
3	80	7713
4	100	14026

SBM 13

HSN CODE : 84813000



Product : **SBM Bronze Union Bonnet Globe Valve**
 Product Standard : **Conforming to IS 778 Class-2**
 Pressure/Class /Rating : **PN-25**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed on bonnet inside screw rising stem**
 Type of Seat : **Renewable Seat**
 Type of Disc : **Renewable Disc**
 Trim : **SS AISI-410**
 Gland Packing : **Graphited Asbestos**
 End Details : **Screwed Female BSP Threads to IS 554 Parallel**
 Test Pressure. : **600Psig. Hyd.**

Size/Inch	mm	Price / Pc.
1/4	8	811
3/8	10	915
1/2	15	1333
3/4	20	1979
1	25	2960
1¼	32	4266
1½	40	5841
2	50	9065
2½	65	15751
3	80	24814
4	100	41620

SBM 14

HSN CODE : 84818030



Product : **SBM Bronze Union Bonnet Globe Valve**
 Product Standard : **Conforming to IS 778 Class-2**
 Pressure/Class /Rating : **PN-25**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Screwed on bonnet screw rising stem**
 Type of Seat : **Renewable Seat**
 Type of Disc : **Renewable Disc**
 Trim : **SS 410**
 Gland Packing : **Graphited Asbestos**
 End Details : **Flanges as per BS 10 Table F Undrilled**
 Test Pressure. : **600Psig. Hyd.**

1/2	15	3391
3/4	20	4429
1	25	6574
1¼	32	8461
1½	40	10838
2	50	17039
2½	65	25665
3	80	36532
4	100	61612

SBM 15

HSN CODE : 84818030



Product : **SBM Bronze Union Bonnet Horizontal Lift Check Valve**
 Product Standard : **conforming to IS 778 Class 2**
 Pressure/Class /Rating : **PN-25**
 Body Material cum standard : **IS 318 Gr. LTB 2 Bronze**
 Product Description : **Screwed on cover**
 Type of Seat : **Renewable Seat**
 Type of Disc : **Renewable Disc**
 Trim : **SS-410**
 End Details : **Screwed Female Threads to IS 554 Parallel**
 Test Pressure : **600Psig. Hyd.**

1/2	15	1076
3/4	20	1782
1	25	2726
1¼	32	5454
1½	40	6345
2	50	8776
2½	65	14818
3	80	23792
4	100	41349

SBM 16

HSN CODE : 84813000



Product : **SBM Bronze Union Bonnet Horizontal Lift Check Valve**
 Product Standard : **Conforming to IS 778 Class-2**
 Body Material cum standard : **IS 318 Gr. LTB 2 Bronze**
 Product Description : **Screwed on Cover**
 Type of Seat : **Renewable Seat**
 Type of Disc : **Renewable Disc**
 Trim : **SS 410**
 End Details : **Flanges as per BS 10 Table-F Undrilled**
 Test Pressure : **600Psig. Hyd.**

1/2	15	3082
3/4	20	4029
1	25	6051
1¼	32	7955
1½	40	11037
2	50	15937
2½	65	24316
3	80	36478
4	100	57154

SBM 17

HSN CODE : 84813000



Product : **SBM Brass Bib Tap Export Pattern**
 Body Material cum standard : **Brass IS-1264 Gr. DCB-2**
 Product Description : **Crutch Head Polished Body**
 Gland Packing : **Asbestos**
 End Details : **Inlet End having BSP Parallel Male Threads**
 Body Test Pressure : **300Psig. Hyd.**

Size/Inch	mm	Price / Pc.
1/2	15	320

SBM 21

HSN CODE : 84818020



Product : **SBM Bronze Ferrule**
 Type of Pattern : **JCS WR Type**
 Body Material cum standard : **IS 318 Gr. LTB 2 Bronze**
 End Details : **Screwed Male BSP Taper Threads**
 Gasket : **CAF**
 Test Pressure. : **300Psig. Hyd.**

1/4	8	581
3/8	10	705
1/2	15	878
3/4	20	1432
1	25	2143

SBM 22

HSN CODE : 84818020



Product : **SBM Bronze Plug Main Valve**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **IS 318 Gr. LTB 2 Bronze**
 Product Description : **Taper Plug type**
 End Details : **Screwed female BSP Parallel threads**
 Test Pressure. : **100Psig. Hyd.**
 Seat Test Pressure : **50Psig Hyd.**

1/2	15	620
3/4	20	945
1	25	1413
1¼	32	2741
1½	40	4184
2	50	6770

SBM 23

HSN CODE : 84818020



Product : **SBM Bronze Gland Valve**
 Type of Pattern : **Standard Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Taper Plug type**
 End Details : **Screwed female BSP Parallel threads**
 Test Pressure. : **200Psig. Hyd.**
 Seat Test Pressure : **100Psig Hyd.**

1/2	15	834
3/4	20	1186
1	25	1957
1¼	32	3566
1½	40	4334
2	50	7352

SBM 24

HSN CODE : 84818020




Product : **SBM Bronze Gland Valve**
 Type of Pattern : **Heavy Pattern**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Taper Plug type**
 End Details : **Screwed female BSP Parallel threads**
 Test Pressure. : **200Psig. Hyd.**
 Seat Test Pressure : **100Psig Hyd.**

Size/Inch mm Price / Pc.

Size/Inch	mm	Price / Pc.
1¼	32	3105
1½	40	4652
2	50	6757

SBM 25

HSN CODE : 84818020



Product : **SBM Bronze Drain Valve**
 Body Material cum standard : **GM IS 318 Gr. LTB 2**
 Product Description : **Round Barrel Straight Nose with Union Nut & Tail pipe polished body metallic handle**
 End Details : **Inlet having BSP Parallel Male Threads**
 Test Pressure. : **300Psig. Hyd.**
 Plug Test Pressure : **100Psig. Hyd.**

Size/Inch	mm	Price / Pc.
1/4	8	493
3/8	10	631
1/2	15	792

SBM 26

HSN CODE : 84818020