



CIBFP

Product : **Sant C.I. Butterfly Valve with Pneumatic Actuator**
 Type of Pattern : **Water Type**
 Pressure/Class/Rating : **PN 1.0/PN 1.6**
 Body Material Cum Standard : **CI to IS:210 Gr FG200**
 Product Description : **Wafer Type**
 Type of Seat : **Nitrile/EPDM Lining**
 Type of Disc : **Stainless Steel CF8**
 Stem : **AISI-410**
 End Details : **Suitable insertion between flanges as per BS 10 Table F/D/E or ASME B 16.1 Class-125**

HSN CODE : 84818030

<u>PN1.0</u>	<u>PN1.6</u>
Body Test Pressure : 1.5 MPa (220Psig.) Hyd.	2.4 MPa (348 Psig Hyd.)
Seat Test Pressure : 1.10 MPa 160Psig.) Hyd.	1.8 MPa (200 Psig Hyd.)

Size/Inch	mm	Price / Pc.
1½	40	9008
2	50	9428
2½	65	11171
3	80	11447
4	100	12579
5	125	20347
6	150	21278
8	200	35953



CIBFL

Product : **Sant C.I. Butterfly Valve with Limit Switch**
 Type of Pattern : **Water Type**
 Pressure/Class/Rating : **PN 1.0/PN 1.6**
 Body Material Cum Standard : **CI to IS:210 Gr FG200**
 Product Description : **Wafer Type**
 Type of Seat : **Nitrile/EPDM Lining**
 Type of Disc : **SS Seat CF8**
 Stem : **AISI-410**
 End Details : **Suitable insertion between flanges as per BS 10 Table F/D/E or ASME B 16.1 Class-125**

HSN CODE : 84818030

<u>PN1.0</u>	<u>PN1.6</u>
Body Test Pressure : 1.5 MPa (220Psig.) Hyd.	2.4 MPa (348 Psig Hyd.)
Seat Test Pressure : 1.10 MPa 160Psig.) Hyd.	1.8 MPa (200 Psig Hyd.)

NOTE : FOR STAINLESS STEEL CF-8 DISC 2% RATES WILL BE EXTRA CHARGED.

1½	40	4577
2	50	4937
2½	65	5179
3	80	5415
4	100	6159
5	125	7347
6	150	8149
8	200	15036



CIBFE

Product : **Sant C.I. Butterfly Valve with Electric Actuator**
 Type of Pattern : **Water Type**
 Pressure/Class/Rating : **PN 1.0 / PN 1.6**
 Body Material Cum Standard : **CI to IS:210 Gr FG200**
 Type of Lining : **EPDM**
 Type of Disc : **SS CF 8**
 Stem : **AISI-410**
 End Details : **Suitable insertion between flanges as ASME B 16.1 or Class-125**

HSN CODE : 84818030

<u>PN1.0</u>	<u>PN1.6</u>
Body Test Pressure : 1.5 MPa (220Psig.) Hyd.	2.4 MPa (348 Psig Hyd.)
Seat Test Pressure : 1.10 MPa 160Psig.) Hyd.	1.8 MPa (200 Psig Hyd.)

1½	40	25854
2	50	26269
2½	65	26516
3	80	27223
4	100	28394
5	125	64558
6	150	65554
8	200	80812
10	250	106971
12	300	122253



AV

Product : **Air Vent Valve**
 Body Material : **Brass**
 Pressure Rating : **PN 1.6**
 Working Temperature : **100°C Max.**

HSN CODE : 84818090

1/2	15	579
3/4	20	643
1	25	762



Product : **Sant C.I. Butterfly Valve Wafer Type (Lever Operated)**
 Type of Pattern : **Replaceable Seat & Disc**
 Pressure/Class /Rating : **PN16**
 Body Material cum standard : **Cast Iron to IS:210 FG 200**
 Type of Seat : **EPDM Lining**
 Type of Disc : **SG Iron**
 Stem : **AISI-410**
 End Details : **Suitable between Flanges ASME B 16.1 CI-125**
 Body Test Pressure : **2.4MPa Hyd.**
 Seat Test Pressure : **1.8MPa Hyd.**

NEW ITEM

HSN CODE : 84818030

Size/Inch	mm	Price / Pc.
2	50	2379
2½	65	2579
3	80	2772
4	100	3565
5	125	4578
6	150	5263
8	200	9134

BFX



Product : **Sant C.I. Butterfly Valve Wafer Type (Lever Operated)**
 Type of Pattern : **Replaceable Seat & Disc**
 Pressure/Class /Rating : **PN16**
 Body Material cum standard : **Cast Iron to IS:210 FG 200**
 Type of Lining : **EPDM Lining**
 Type of Disc : **SS 304**
 Stem : **AISI-410**
 End Details : **Suitable between Flanges as ASME B 16.1 or Class-125**
 Body Test Pressure : **2.4MPa (Hyd.)**
 Seat Test Pressure : **1.8MPa (Hyd.)**

NEW ITEM

HSN CODE : 84818030

2	50	2501
2½	65	2691
3	80	3269
4	100	4044
5	125	5440
6	150	6152
8	200	12154

BFY



Product : **Sant C.I. Ball Foot Valve**
 Type of Pattern : **Y Type Pattern**
 Pressure/Class /Rating : **PN16**
 Body Material cum standard : **Cast Iron to IS:210 FG 200**
 Type of Ball : **MS Rubber Coated**
 Seat Ring : **Nitrile Rubber**
 Strainer : **Cast Iron to IS:210 FG 260**
 End Details : **Flanges as per IS:1538**
 Body Test Pressure : **2.4MPa (Hyd.)**
 Seat Test Pressure : **1.6MPa (Hyd.)**

NEW ITEM

HSN CODE : 8481

2	50	2629
2½	65	3474
3	80	4508
4	100	7156
6	150	15026

BFV